




## SERIES # 420 OXO SGD R-40

*VERTICAL  
SECTION*




*SPECIFICATIONS*

MARINE GLAZED	
SERIES # 420 SLIDING GLASS DOOR	
INSIDE FRAME DIMENSION	HORIZONTAL: CALL SIZE + 1 3/4"
	VERTICAL: CALL SIZE
ROUGH OPENING	HORIZONTAL: CALL SIZE + 2 1/4"
	VERTICAL: CALL SIZE + 1/2"
MINIMUM SIZE I.F.D.	91 3/4" X 80"
MAXIMUM SIZE I.F.D.	145 3/4" X 80"
TEST REPORT No.: 08-166 SD-R40 3702 x 2032 (145 3/4" x 80")	
GLASS SIZE	HORIZONTAL: (CALL SIZE/3)-2
	VERTICAL: CALL SIZE -4
MAXIMUM OVERALL I.G. GLASS THICKNESS:	5/8"
FINISHED	HORIZONTAL: (CALL SIZE/3) + 7/16"
SCREEN SIZE:	VERTICAL: CALL SIZE -1"
U-VALUE: 0.57	(3/8" SPACER, LOW-E GLASS AND GRIDS)
SHGC: 0.32	(3/8" SPACER, LOW-E GLASS AND GRIDS)
U-VALUE: 0.68	(1/4" SPACER, LOW-E GLASS AND GRIDS)
SHGC: 0.32	(1/4" SPACER, LOW-E GLASS AND GRIDS)
DRAWN BY: FA	HALF SCALE EXPIRATION DATE: 2/08/2011


*HORIZONTAL  
SECTION*

**Inside**



## SERIES # 420 OXO SGD R-35

*VERTICAL  
SECTION*




*SPECIFICATIONS*

MARINE GLAZED	
SERIES # 420 SLIDING GLASS DOOR	
INSIDE FRAME DIMENSION	HORIZONTAL: CALL SIZE + 1 3/4"
	VERTICAL: CALL SIZE
ROUGH OPENING	HORIZONTAL: CALL SIZE + 2 1/4"
	VERTICAL: CALL SIZE + 1/2"
MINIMUM SIZE I.F.D.	91 3/4" X 80"
MAXIMUM SIZE I.F.D.	145 3/4" X 96"
TEST REPORT No.: 08-166 SD-R35 3702 x 2438 (145 3/4" x 96")	
GLASS SIZE	HORIZONTAL: (CALL SIZE/3)-2
	VERTICAL: CALL SIZE -4
MAXIMUM OVERALL I.G. GLASS THICKNESS:	5/8"
FINISHED	HORIZONTAL: (CALL SIZE/3) + 7/16"
SCREEN SIZE:	VERTICAL: CALL SIZE -1"
U-VALUE: 0.57	(3/8" SPACER, LOW-E GLASS AND GRIDS)
SHGC: 0.32	(3/8" SPACER, LOW-E GLASS AND GRIDS)
U-VALUE: 0.68	(1/4" SPACER, LOW-E GLASS AND GRIDS)
SHGC: 0.32	(1/4" SPACER, LOW-E GLASS AND GRIDS)
DRAWN BY: FA	HALF SCALE
EXPIRATION DATE: 2/08/2011	

*HORIZONTAL  
SECTION*


**Inside**





## SERIES # 420 OXO SGD R-40

*VERTICAL  
SECTION*



*SPECIFICATIONS*

MARINE GLAZED	
SERIES # 420 SLIDING GLASS DOOR	
INSIDE FRAME DIMENSION	HORIZONTAL: CALL SIZE + 1 3/4"
	VERTICAL: CALL SIZE
ROUGH OPENING	HORIZONTAL: CALL SIZE + 2 1/4"
	VERTICAL: CALL SIZE + 1/2"
MINIMUM SIZE I.F.D.	91 3/4" X 80"
MAXIMUM SIZE I.F.D.	145 3/4" X 96"
TEST REPORT No.: 08-166 SD-R40 3702 x 2438 (145 3/4" x 96")	
GLASS SIZE	HORIZONTAL: (CALL SIZE/3)-2
	VERTICAL: CALL SIZE -4
MAXIMUM OVERALL I.G. GLASS THICKNESS:	5/8"
FINISHED SCREEN SIZE:	HORIZONTAL: (CALL SIZE/3) + 7/16"
	VERTICAL: CALL SIZE -1"
U-VALUE: 0.57	(3/8" SPACER, LOW-E GLASS AND GRIDS)
SHGC: 0.32	(3/8" SPACER, LOW-E GLASS AND GRIDS)
U-VALUE: 0.68	(1/4" SPACER, LOW-E GLASS AND GRIDS)
SHGC: 0.32	(1/4" SPACER, LOW-E GLASS AND GRIDS)
DRAWN BY: FA	HALF SCALE
EXPIRATION DATE: 2/08/2011	

*HORIZONTAL  
SECTION*

