




## SERIES # 440 XIIX SGD R-40


*VERTICAL  
SECTION*



*SPECIFICATIONS*


MARINE GLAZED	
SERIES # 440 SLIDING GLASS DOOR	
INSIDE FRAME DIMENSION	HORIZONTAL: CALL SIZE - 2 7/8"
	VERTICAL: CALL SIZE
ROUGH OPENING	HORIZONTAL: CALL SIZE - 2 3/8"
	VERTICAL: CALL SIZE + 1/2"
MINIMUM SIZE I.F.D.	117 1/8" X 80"
MAXIMUM SIZE I.F.D.	141 1/8" X 80"
TEST REPORT No.: 08-228 SD-R40 3626 x 2032 (142 3/4" x 80")	
GLASS SIZE	HORIZONTAL: (CALL SIZE/4) - 2"
	VERTICAL: CALL SIZE - 4"
U-VALUE: 0.57 (3/8" SPACER, LOW-E GLASS AND GRIDS)	
SHGC: 0.32 (3/8" SPACER, LOW-E GLASS AND GRIDS)	
U-VALUE: 0.68 (1/4" SPACER, LOW-E GLASS AND GRIDS)	
SHGC: 0.32 (1/4" SPACER, LOW-E GLASS AND GRIDS)	
DRAWN BY: FA	HALF SCALE EXPIRATION DATE: 2/08/2011

*HORIZONTAL  
SECTION*



## SERIES # 440 XIIX SGD R-35


*VERTICAL  
SECTION*



*SPECIFICATIONS*


MARINE GLAZED	
SERIES # 440 SLIDING GLASS DOOR	
INSIDE FRAME DIMENSION	HORIZONTAL: CALL SIZE - 2 7/8"
	VERTICAL: CALL SIZE
ROUGH OPENING	HORIZONTAL: CALL SIZE - 2 3/8"
	VERTICAL: CALL SIZE + 1/2"
MINIMUM SIZE I.F.D.	117 1/8" X 80"
MAXIMUM SIZE I.F.D.	141 1/8" X 96"
TEST REPORT No.: 08-228 SD-R35 3626 x 2438 (142 3/4" x 96")	
GLASS SIZE	HORIZONTAL: (CALL SIZE/4) - 2"
	VERTICAL: CALL SIZE - 4"
U-VALUE: 0.57 (3/8" SPACER, LOW-E GLASS AND GRIDS)	
SHGC: 0.32 (3/8" SPACER, LOW-E GLASS AND GRIDS)	
U-VALUE: 0.68 (1/4" SPACER, LOW-E GLASS AND GRIDS)	
SHGC: 0.32 (1/4" SPACER, LOW-E GLASS AND GRIDS)	
DRAWN BY: FA	HALF SCALE EXPIRATION DATE: 2/08/2011

*HORIZONTAL  
SECTION*



## SERIES # 440 XIIX SGD R-40

*VERTICAL  
SECTION*



*SPECIFICATIONS*

MARINE GLAZED	
SERIES # 440 SLIDING GLASS DOOR	
INSIDE FRAME DIMENSION	VERTICAL: CALL SIZE
ROUGH OPENING	VERTICAL: CALL SIZE + 1/2"
MINIMUM SIZE I.F.D.	117 1/8" X 80"
MAXIMUM SIZE I.F.D.	141 1/8" X 96"
TEST REPORT No.: 08-228 SD-R40 3626 x 2438 (142 3/4" x 96")	
GLASS SIZE	HORIZONTAL: (CALL SIZE/4) - 2" VERTICAL: CALL SIZE - 4"
U-VALUE: 0.57 (3/8" SPACER, LOW-E GLASS AND GRIDS)	
SHGC: 0.32 (3/8" SPACER, LOW-E GLASS AND GRIDS)	
U-VALUE: 0.68 (1/4" SPACER, LOW-E GLASS AND GRIDS)	
SHGC: 0.32 (1/4" SPACER, LOW-E GLASS AND GRIDS)	
DRAWN BY: FA	HALF SCALE EXPIRATION DATE: 2/08/2011

*HORIZONTAL  
SECTION*

